

Integration 11G

1 a $\frac{3x+5}{(x+1)(x+2)} \equiv \frac{A}{x+1} + \frac{B}{x+2}$

$$\Rightarrow 3x+5 \equiv A(x+2) + B(x+1)$$

$$x = -1 \Rightarrow 2 = A$$

$$x = -2 \Rightarrow -1 = -B \Rightarrow B = 1$$

$$\therefore \int \frac{3x+5}{(x+1)(x+2)} dx = \int \left(\frac{2}{x+1} + \frac{1}{x+2} \right) dx$$

$$= 2 \ln|x+1| + \ln|x+2| + c$$

$$= \ln(|x+1|^2) + \ln|x+2| + c$$

$$= \ln|(x+1)^2(x+2)| + c$$

b $\frac{3x-1}{(2x+1)(x-2)} \equiv \frac{A}{2x+1} + \frac{B}{x-2}$

$$\Rightarrow 3x-1 \equiv A(x-2) + B(2x+1)$$

$$x = 2 \Rightarrow 5 = 5B \Rightarrow B = 1$$

$$x = -\frac{1}{2} \Rightarrow -\frac{5}{2} = -\frac{5}{2}A \Rightarrow A = 1$$

$$\therefore \int \frac{3x-1}{(2x+1)(x-2)} dx = \int \left(\frac{1}{2x+1} + \frac{1}{x-2} \right) dx$$

$$= \frac{1}{2} \ln|2x+1| + \ln|x-2| + c$$

$$= \ln|(x-2)\sqrt{2x+1}| + c$$

c $\frac{2x-6}{(x+3)(x-1)} \equiv \frac{A}{x+3} + \frac{B}{x-1}$

$$\Rightarrow 2x-6 \equiv A(x-1) + B(x+3)$$

$$x = 1 \Rightarrow -4 = 4B \Rightarrow B = -1$$

$$x = -3 \Rightarrow -12 = -4A \Rightarrow A = 3$$

$$\therefore \int \frac{2x-6}{(x+3)(x-1)} dx = \int \left(\frac{3}{x+3} - \frac{1}{x-1} \right) dx$$

$$= 3 \ln|x+3| - \ln|x-1| + c$$

$$= \ln \left| \frac{(x+3)^3}{x-1} \right| + c$$

d $\frac{3}{(2+x)(1-x)} \equiv \frac{A}{(2+x)} + \frac{B}{1-x}$

$$\Rightarrow 3 \equiv A(1-x) + B(2+x)$$

$$x = 1 \Rightarrow 3 = 3B \Rightarrow B = 1$$

$$x = -2 \Rightarrow 3 = 3A \Rightarrow A = 1$$

$$\begin{aligned} \therefore \int \frac{3}{(2+x)(1-x)} dx &= \int \left(\frac{1}{(2+x)} + \frac{1}{1-x} \right) dx \\ &= \ln|2+x| - \ln|1-x| + c \\ &= \ln \left| \frac{2+x}{1-x} \right| + c \end{aligned}$$

2 a $\frac{2(x^2+3x-1)}{(x+1)(2x-1)} \equiv 1 + \frac{A}{x+1} + \frac{B}{2x-1}$

$$\Rightarrow 2x^2 + 6x - 2 \equiv (x+1)(2x-1)$$

$$+ A(2x-1) + B(x+1)$$

$$x = -1 \Rightarrow -6 = -3A \Rightarrow A = 2$$

$$x = \frac{1}{2} \Rightarrow \frac{3}{2} = \frac{3}{2}B \Rightarrow B = 1$$

$$\therefore \int \frac{2(x^2+3x-1)}{(x+1)(2x-1)} dx = \int \left(1 + \frac{2}{x+1} + \frac{1}{2x-1} \right) dx$$

$$= x + 2 \ln|x+1| + \frac{1}{2} \ln|2x-1| + c$$

$$= x + \ln|(x+1)^2 \sqrt{2x-1}| + c$$

2 b $\frac{x^3 + 2x^2 + 2}{x(x+1)} \Rightarrow$

$$\begin{array}{r} x+1 \\ x^2+x \end{array} \overline{) x^3 + 2x^2 + 2} \\ \underline{x^3 + x^2} \\ x^2 + 2 \\ \underline{x^2 + x} \\ 2-x \end{array}$$

$$\begin{aligned} \frac{x^3 + 2x^2 + 2}{x(x+1)} &\equiv x+1 + \frac{2-x}{x(x+1)} \\ &\equiv x+1 + \frac{A}{x} + \frac{B}{x+1} \\ \Rightarrow x^3 + 2x^2 + 2 &\equiv (x+1)x(x+1) + A(x+1) + Bx \end{aligned}$$

$x=0 \Rightarrow 2=A \Rightarrow A=2$

$x=-1 \Rightarrow 3=-B \Rightarrow B=-3$

$$\begin{aligned} \therefore \int \frac{x^3 + 2x^2 + 2}{x(x+1)} dx &= \int \left(x+1 + \frac{2}{x} - \frac{3}{x+1} \right) dx \\ &= \frac{x^2}{2} + x + 2 \ln|x| - 3 \ln|x+1| + c \\ &= \frac{x^2}{2} + x + \ln \left| \frac{x^2}{(x+1)^3} \right| + c \end{aligned}$$

c $\frac{x^2}{x^2 - 4} \equiv 1 + \frac{A}{x-2} + \frac{B}{x+2}$

$\Rightarrow x^2 \equiv (x-2)(x+2) + A(x+2) + B(x-2)$

$x=2 \Rightarrow 4=4A \Rightarrow A=1$

$x=-2 \Rightarrow 4=-4B \Rightarrow B=-1$

$$\begin{aligned} \therefore \int \frac{x^2}{x^2 - 4} dx &= \int \left(1 + \frac{1}{x-2} - \frac{1}{x+2} \right) dx \\ &= x + \ln|x-2| - \ln|x+2| + c \\ &= x + \ln \left| \frac{x-2}{x+2} \right| + c \end{aligned}$$

d $\frac{x^2 + x + 2}{3-2x-x^2} \equiv \frac{x^2 + x + 2}{(3+x)(1-x)}$

$$\begin{aligned} &\equiv -1 + \frac{A}{3+x} + \frac{B}{1-x} \\ \Rightarrow x^2 + x + 2 &\equiv -1(3+x)(1-x) \\ &\quad + A(1-x) + B(3+x) \end{aligned}$$

$x=1 \Rightarrow 4=4B \Rightarrow B=1$

$x=-3 \Rightarrow 8=4A \Rightarrow A=2$

$$\begin{aligned} \therefore \int \frac{x^2 + x + 2}{3-2x-x^2} dx &= \int \left(-1 + \frac{2}{3+x} + \frac{1}{1-x} \right) dx \\ &= -x + 2 \ln|3+x| - \ln|1-x| + c \\ &= -x + \ln \left| \frac{(3+x)^2}{1-x} \right| + c \end{aligned}$$

3 a $f(x) = \frac{4}{(2x+1)(1-2x)}$

$$\frac{4}{(2x+1)(1-2x)} = \frac{A}{2x+1} + \frac{B}{1-2x}$$
 $4 = A(1-2x) + B(2x+1)$

$\text{Let } x = \frac{1}{2} : 4=2B \Rightarrow B=2$

$\text{Let } x = -\frac{1}{2} : 4=2A \Rightarrow A=2$

b $\int f(x) dx = \int \left(\frac{2}{(2x+1)} + \frac{2}{(1-2x)} \right) dx$

$$\begin{aligned} &= \ln|2x+1| - \ln|1-2x| + c \\ &= \ln \left| \frac{2x+1}{1-2x} \right| + c \end{aligned}$$

c $\int_1^2 f(x) dx = \left[\ln \left| \frac{2x+1}{1-2x} \right| \right]_1^2$

$$\begin{aligned} &= \ln \frac{5}{3} - \ln 3 = \ln \frac{5}{9} \\ k &= \frac{5}{9} \end{aligned}$$

4 a $f(x) = \frac{17-5x}{(3+2x)(2-x)^2}$

$$\frac{17-5x}{(3+2x)(2-x)^2} = \frac{A}{3+2x} + \frac{B}{(2-x)^2} + \frac{C}{2-x}$$

$$17-5x = A(2-x)^2 + B(3+2x) + C(3+2x)(2-x)$$

$$\text{Let } x=2 : 7=7B \Rightarrow B=1$$

$$\text{Let } x=-\frac{3}{2} : 17+\frac{15}{2}=\frac{49}{4}A \Rightarrow A=2$$

$$\text{Let } x=0 : 17=4A+3B+6C$$

$$\Rightarrow 17=8+3+6C \Rightarrow C=1$$

$$f(x) = \frac{2}{3+2x} + \frac{1}{(2-x)^2} + \frac{1}{2-x}$$

b

$$\begin{aligned} & \int_0^1 \left(\frac{2}{3+2x} + \frac{1}{2-x} + \frac{1}{(2-x)^2} \right) dx \\ &= \left[\ln|3+2x| - \ln|2-x| + \frac{1}{(2-x)} \right]_0^1 \\ &= (\ln 5 - \ln 1 + 1) - \left(\ln 3 - \ln 2 + \frac{1}{2} \right) \\ &= \frac{1}{2} + \ln \frac{10}{3} \end{aligned}$$

5 a $f(x) = \frac{9x^2+4}{9x^2-4}$

Dividing gives:

$$f(x) = 1 + \frac{8}{9x^2-4}$$

$$= 1 + \frac{8}{(3x+2)(3x-2)}$$

$$\frac{8}{(3x+2)(3x-2)} = \frac{B}{3x-2} + \frac{C}{3x+2}$$

$$8 = B(3x+2) + C(3x-2)$$

$$\text{Let } x = -\frac{2}{3} : 8 = -4C \Rightarrow C = -2$$

$$\text{Let } x = \frac{2}{3} : 8 = 4B \Rightarrow B = 2$$

$$A = 1, B = 2, C = -2$$

b

$$\begin{aligned} & \int_{-\frac{1}{3}}^{\frac{1}{3}} \left(1 + \frac{2}{3x-2} - \frac{2}{3x+2} \right) dx \\ &= \left[x + \frac{2}{3} \ln|3x-2| - \frac{2}{3} \ln|3x+2| \right]_{-\frac{1}{3}}^{\frac{1}{3}} \\ &= \left(\frac{1}{3} - \frac{2}{3} \ln 3 \right) - \left(-\frac{1}{3} + \frac{2}{3} \ln 3 \right) \\ &= \frac{2}{3} - \frac{4}{3} \ln 3 \\ & a = \frac{2}{3}, b = -\frac{4}{3}, c = 3 \end{aligned}$$

6 a $f(x) = \frac{6+3x-x^2}{x^3+2x^2} = \frac{6+3x-x^2}{x^2(x+2)}$

$$\frac{6+3x-x^2}{x^2(x+2)} = \frac{A}{x^2} + \frac{B}{x} + \frac{C}{x+2}$$

$$6+3x-x^2 = A(x+2)+Bx(x+2)+Cx^2$$

$$\text{Let } x=0 : 6=2A \Rightarrow A=3$$

$$\text{Let } x=-2 : -4=4C \Rightarrow C=-1$$

$$\text{Let } x=1 : 8=3A+3B+C \Rightarrow B=0$$

$$f(x) = \frac{3}{x^2} - \frac{1}{x+2}$$

b

$$\begin{aligned} & \int_2^4 \frac{6+3x-x^2}{x^3+2x^2} dx \\ &= \int_2^4 \left(\frac{3}{x^2} - \frac{1}{x+2} \right) dx \\ &= \left[-\frac{3}{x} - \ln|x+2| \right]_2^4 \\ &= \left(-\frac{3}{4} - \ln 6 \right) - \left(-\frac{3}{2} - \ln 4 \right) \\ &= \frac{3}{4} + \ln \frac{2}{3} \\ & a = \frac{3}{4}, b = \frac{2}{3} \end{aligned}$$

7 a Let $f(x) = \frac{32x^2 + 4}{(4x+1)(4x-1)}$

Dividing:

$$\frac{32x^2 + 4}{(4x+1)(4x-1)} = 2 + \frac{6}{(4x+1)(4x-1)}$$

$$\Rightarrow A = 2$$

$$\frac{6}{(4x+1)(4x-1)} = \frac{B}{4x+1} + \frac{C}{4x-1}$$

$$6 = B(4x-1) + C(4x+1)$$

$$\text{Let } x = \frac{1}{4} : 6 = 2C \Rightarrow C = 3$$

$$\text{Let } x = -\frac{1}{4} : 6 = -2B \Rightarrow B = -3$$

$$f(x) = 2 - \frac{3}{4x+1} + \frac{3}{4x-1}$$

b $\int_1^2 f(x) dx = \int_1^2 \left(2 - \frac{3}{4x+1} + \frac{3}{4x-1} \right) dx$

$$= \left[2x - \frac{3}{4} \ln |4x+1| + \frac{3}{4} \ln |4x-1| \right]_1^2$$

$$= \left(4 - \frac{3}{4} \ln 9 + \frac{3}{4} \ln 7 \right) - \left(2 - \frac{3}{4} \ln 5 + \frac{3}{4} \ln 3 \right)$$

$$= 2 + \frac{3}{4} (-\ln 9 + \ln 7 + \ln 5 - \ln 3)$$

$$= 2 + \frac{3}{4} \ln \frac{35}{27}, \text{ so } k = \frac{3}{4}, m = \frac{35}{27}$$